

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010609-R1  
**DATE:** 05/09/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 06/16/2014

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>10030 Bavaria Road</b> <b>Ft. Myers, FL 33913</b>	<b>Series "1436" Vinyl</b> <b>Fixed Window w/Nailing Fin</b>  Configuration: O  Glazing: Insulating Glass (Annealed)  Frame: W-1816mm(71.5") H-1816mm(71.5") DLO: W-1686mm(66.38") H-1686mm(66.38")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>FW-C80 1816 x 1816 (72 x 72)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: 66566.06-109-47/66567.01-701-47  
Expiration Date: **July 31, 2019**

Administrator's Signature: \_\_\_\_\_ 

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122