NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011878-R2

DATE: <u>03/02/2014</u>

CERTIFICATION PROGRAM: <u>Structural</u>

COMPANY: Eastern

CODE: 1783-1

REVISION DATE: 11/14/2016

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems	Series "176.000" Vinyl Fin Frame
10030 Bavaria Road	Impact-Rated Fixed Window
Ft. Myers, FL 33913	Configuration: O
	Glazing: IG-3/16" Heat Strengthened Glass/Laminate- 1/8" Heat Strengthened Glass/0.090" DuPont SGP Interlayer/1/8" Heat Strengthened Glass
	Frame: W-1828mm(72") H-1600mm(63")
	DLO: W-1708mm(67.25") H-1479mm(58.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class CW-PG100 1829 x 1600 (72 x 63)-FW FW-C90 1829 x 1600 (72 x 63) Design Pressure: 4788 Pa (100 psf) Negative Design Pressure: 4788 Pa (100 psf) Water Penetration Resistance Test Pressure: 718 Pa(15.00 psf)

Product Tested By: Element Materials Technology

Report No: ESP011976P-1 Expiration Date: January 31, 2022

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 Fax: (804) 684-5122