

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011878.01-R2
DATE: 03/02/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 11/14/2016

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 10030 Bavaria Road Ft. Myers, FL 33913	Series "176.000" Vinyl Fin Frame Impact-Rated Fixed Window Configuration: O Glazing: IG-3/16" Heat Strengthened Glass/Laminate- 1/8" Heat Strengthened Glass/0.090" DuPont SGP Interlayer/1/8" Heat Strengthened Glass Frame: W-1828mm(72") H-1600mm(63") DLO: W-1708mm(67.25") H-1479mm(58.25")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-09 TAS 201/202/203-94 AAMA-506-11	Design Pressure: ±3830 Pa (80 psf) Wind Zone 4-Missile Level D Large Missile Impact Rated A440-05 Rating: FW-C90 1829 x 1600 (72 x 63) A440-08/11 Rating: CW-PG100 1829 x 1600 (72 x 63)-FW Water Penetration Resistance Test Pressure: 718 Pa(15.0 psf)

Product Tested By: Element Materials Technology
Report No: ESP011976P-1/ESP011976P-1D
Expiration Date: **January 31, 2022**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122