

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI006487.01-R10  
**DATE:** 04/10/2006  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Nan Ya  
**CODE:** 661-1  
**REVISION DATE:** 01/16/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS                                                                                     | PRODUCT DESCRIPTION                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Nan Ya Plastics Corporation USA</b><br><b>8989 North Loop East, Suite 800</b><br><b>Houston, TX 77029</b> | <b>Series 9'0" x 8'0" Fiberglass</b><br><b>In-Swing Glazed Double Door</b><br><br>Configuration: XXX<br><br>Glazing: IG-Laminate-1/8" Annealed Glass/0.090" PVB<br>Interlayer/1/8" Annealed Glass/1/8" Tempered Glass<br><br>Frame: W-9'3" Panel: W-3'0" DLO: W-1'9"<br><br>H-8'0" H-8'0" H-6'7" |

| SPECIFICATION                 | PRODUCT RATING                                                                                                             |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>ASTM E1886-02/E1996-02</b> | <b>Design Pressure: +50/-50 psf</b><br><b>Wind Zone 3 - Missile Level D</b><br><b>Qualifies Configurations: X, XX, XXX</b> |

Product Tested By: Certified Testing Laboratories  
Report No: CTLA-1508W  
Expiration Date: **February 28, 2036**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023