

# Hallmark® Certificate of Conformance and License (CCL)



Windsor Windows and Doors  
900 South 19th Street  
West Des Moines, IA 50265

**Mfr ID:** 453

*For more Information visit [www.amscert.com](http://www.amscert.com)*

**Website:** [www.windsorwindows.com](http://www.windsorwindows.com)

**TEL:** 515-223-6660

| <b>Product No.</b> | <b>Product Name</b>                   | <b>Standard</b>   | <b>Rating</b>                                                                                                                          | <b>Wide</b> | <b>High</b> | <b>Test Report #</b> | <b>CertDate</b> | <b>ExpDate</b> |
|--------------------|---------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|----------------------|-----------------|----------------|
| 453-H-043.04       | Pinnacle Select Clad Pushout Casement | 101/I.S.2/A440-11 | Class CW-PG50; Size Tested 914mm x 1829mm * Type-C; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3   | 914mm       | 1829mm      | ESP022474P           | 7/19/2016       | 4/5/2026       |
| 453-H-043.18       | Pinnacle Select Crank Out Casement    | 101/I.S.2/A440-11 | Class CW-PG40; Size Tested 914 mm x 2134 mm Type-C; DP +40/-40 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=A3   | 914 mm      | 2134 mm     | ESP029381P           | 11/13/2018      | 10/12/2028     |
| 453-H-043.19       | Pinnacle Select Crank Out Casement    | 101/I.S.2/A440-11 | Class CW-PG40; Size Tested 1067 mm x 1829 mm Type-C; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A3  | 1067 mm     | 1829 mm     | ESP029382P           | 11/13/2018      | 10/23/2028     |
| 453-H-043.26       | Pinnacle Select Crank Out Casement    | 101/I.S.2/A440-17 | Class LC-PG65; Size Tested 762 mm x 2438 mm * Type-C; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=A3 | 762 mm      | 2438 mm     | ESP034137P.1         | 5/27/2021       | 8/17/2030      |
| 453-H-043.29       | Pinnacle Select Crank Out Casement    | 101/I.S.2/A440-17 | Class LC-PG50; Size Tested 914 mm x 1981 mm Type-C; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2   | 914 mm      | 1981 mm     | ESP034137P.2         | 5/27/2021       | 8/17/2030      |
| 453-H-043.30       | Pinnacle Select Crank Out Casement    | 101/I.S.2/A440-17 | Class LC-PG60; Size Tested 1067 mm x 1676 mm Type-C; DP +60/-60 psf; Water Test Press 440Pa (9.19psf); Can. Air Infil/Exfil. Level=A2  | 1067 mm     | 1676 mm     | ESP034137P.3         | 5/27/2021       | 2/3/2030       |
| 453-H-043.32       | Pinnacle Select Casement              | 101/I.S.2/A440-17 | Class LC-PG40; Size Tested 914 mm x 1981 mm Type-C; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A3   | 914 mm      | 1981 mm     | ESP039821P.2         | 6/5/2023        | 4/21/2033      |

# Hallmark® Certificate of Conformance and License (CCL)




Windsor Windows and Doors  
900 South 19th Street  
West Des Moines, IA 50265

Mfr ID: 453  
For more Information visit [www.amscert.com](http://www.amscert.com)  
Website: [www.windsorwindows.com](http://www.windsorwindows.com)  
TEL: 515-223-6660

| Product No. | Product Name | Standard | Rating | Wide | High | Test Report # | CertDate | ExpDate |
|-------------|--------------|----------|--------|------|------|---------------|----------|---------|
|-------------|--------------|----------|--------|------|------|---------------|----------|---------|

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)