

Hallmark® Certificate of Conformance and License (CCL)





Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453
For more Information visit www.amscert.com
Website: www.windsorwindo
ws.com
TEL: 515-223-6660

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
453-H-048.00	Next Dimension Signature Casement Picture	101/I.S.2/A440-11	Class CW-PG30; Size Tested 2438mm x 1829mm Type-FW; DP +30/-30 psf; Water Test Press 220Pa (4.59psf); Can. Air Infil/Exfil. Level=Fixed	2438mm	1829mm	ESP017416P	1/31/2016	12/24/2024
453-H-048.01	Next Dimension Signature Casement Picture	101/I.S.2/A440-11	Class R-PG50; Size Tested 902mm x 1816mm * Type-FW; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	902mm	1816mm	ESP017129P	1/31/2016	6/24/2024
453-H-049.00	Next Dimension Signature Direct Set / Radius	101/I.S.2/A440-11	Class CW-PG40; Size Tested 2426mm x 1816mm Type-FW; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=Fixed	2426mm	1816mm	ESP017548P	1/31/2016	8/13/2024
453-H-049.01	Next Dimension Signature Direct Set / Radius	101/I.S.2/A440-11	Class CW-PG40; Size Tested 2121mm x 2070mm * Type-FW; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=Fixed	2121mm	2070mm	ESP017046P	1/31/2016	8/13/2024
453-H-049.02	Next Dimension Signature Direct Set / Radius	101/I.S.2/A440-11	Class CW-PG50; Size Tested 1816mm x 1816mm * Type-FW; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=Fixed	1816mm	1816mm	ESP017849P	1/31/2016	8/13/2024

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  **John McFee, VP of Certification Programs, WDMA Hallmark**

By:  **Rhonda Schotz, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com