

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453

For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
453-H-054.00	Next Dimension Classic Single Hung	101/I.S.2/A440-11	Class LC-PG40; Size Tested 1207mm x 2121mm Type-H; DP +40/-40 psf; Water Test Press 290Pa (6.06psf); Can. Air Infil/Exfil. Level=A2	1207mm	2121mm	ESP019091P.Rev	1/31/2016	3/4/2025
453-H-054.02	Next Dimension Classic 2-Wide Single Hung	101/I.S.2/A440-11	Class R-PG35; Size Tested 2426mm x 2121mm * Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	2426mm	2121mm	ESP020609P	1/31/2016	3/4/2025
453-H-054.03	Next Dimension Classic 2-Wide Single Hung	101/I.S.2/A440-11	Class R-PG45; Size Tested 1816mm x 1562mm * Type-H; DP +45/-45 psf; Water Test Press 330Pa (6.89psf); Can. Air Infil/Exfil. Level=A2	1816mm	1562mm	ESP019616P	1/31/2016	3/4/2025
453-H-054.04	Next Dimension Classic 3-Wide Single Hung	101/I.S.2/A440-11	Class R-PG35; Size Tested 2731mm x 2121mm * Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	2731mm	2121mm	ESP019546P	1/31/2016	3/4/2025
453-H-054.05	Next Dimension Classic Single Hung	101/I.S.2/A440-11	Class R-PG35; Size Tested 902mm x 2426mm * Type-H; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A2	902mm	2426mm	ESP017984P	1/31/2016	10/3/2024
453-H-054.07	Next Dimension Classic Single Hung Brick mold frame	101/I.S.2/A440-11	Class R-PG50; Size Tested 902mm x 1816mm * Type-H; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	902mm	1816mm	ESP025466P	5/30/2017	3/4/2025

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Windsor Windows and Doors
900 South 19th Street
West Des Moines, IA 50265

Mfr ID: 453


For more Information visit www.amscert.com

Website: www.windsorwindows.com

TEL: 515-223-6660

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
--------------------	---------------------	-----------------	---------------	-------------	-------------	----------------------	-----------------	----------------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  *John McFee, VP of Certification Programs, WDMA Hallmark*

By:  *Lucas L. Wenzel, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com