NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016366.08**
DATE:	**10/24/2024**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Silverline**
CODE:	**3108-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products **5020 Weston Parkway** **Cary, NC 27513**	**Series "V1" Model "Twin 2002"** **Vinyl Twin Single Hung Window** Configuration: O/XO/X Glazing: Insulating Glass (Annealed) Frame: W-2438mm(96") H-1829mm(72") Sash: W-1168mm(46") H-902mm(35.50") DLO: W-1105mm(43.50") H-838mm(33")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **AAMA/WDMA/CSA 101/I.S.2/A440-08**	**Class R-PG20 2438 x 1829 (96 x 72)-H** **Design Pressure: ±960 Pa (±20 psf)** **Water Penetration Resistance Test Pressure: 150 Pa (3.13 psf)**

Product Tested By: Intertek, PLC
Report No: H9445.01-201-47
Expiration Date: **October 31, 2028**

Administrator's Signature:_____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com