NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016366**
DATE:	**10/24/2024**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Silverline**
CODE:	**3108-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products **5020 Weston Parkway** **Cary, NC 27513**	**Series "2000" Model "2001"** **Vinyl Single Hung Window** **(Finless)** Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48") H-2032mm(80") Sash: W-1170mm(46.06") H-1003mm(39.50") DLO: W-1105mm(43.50") H-940mm(37")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class R-PG15 1219 x 2032 (48 x 80)-H** **Design Pressure: ±720 Pa (±15 psf)** **Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)**

Product Tested By: Intertek, PLC
Report No: G1002.01-109-47
Expiration Date: **October 31, 2028**

Administrator's Signature:_____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com