

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016367.04
DATE: 10/28/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "2200/2300" Model "2203/2303" Vinyl Triple Single Hung Window Configuration: O/XO/XO/X Glazing: Insulating Glass (Annealed) Frame: W-2743mm(108") H-1829mm(72") Sash: W-864mm(34") H-902mm(35.50") DLO: W-800mm(31.50") H-838mm(33")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class R-PG25 2743 x 1829 (108 x 72)-H Design Pressure: ± 1200 Pa (± 25 psf) Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf)

Product Tested By: Architectural Testing, Inc.
Report No: C6383.01-109-47
Expiration Date: October 31, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023