

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016369.07
DATE: 10/28/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "2900/4900" Model "2907TR/4907TR" Vinyl Triple Single Hung Window (Fin) Configuration: O/XO/XO/X Glazing: Insulating Glass (Annealed) Frame: W-2718mm(107") H-1880mm(74") Sash: W-848mm(33.38") H-927mm(36.50") DLO: W-787mm(31") H-864mm(34")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class R-PG20 2718 x 1880 (107 x 74)-H Design Pressure: ± 960 Pa (± 20 psf) Water Penetration Resistance Test Pressure: 150 Pa (3.13 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D5514.01-109-47
Expiration Date: October 31, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023