

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016570.01
DATE: 04/21/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "2127" Impact Vinyl Tilt Single Hung Window (Frame & Fin Installations) Configuration: O/X Glazing: IG-Ext. 1/8" Annealed Glass/Int.-3/32" Annealed Glass/0.090" Solutia Saflex PVB Interlayer/3/32" Annealed Glass or Ext. 3/32" Annealed Glass/0.090" Solutia Saflex PVB Interlayer/3/32" Annealed Glass/Int. 1/8" Annealed Glass or Int. 1/8" Annealed Glass/Ext. 3/32" Annealed Glass/0.090" PVB Interlayer/3/32" Annealed Glass Frame: W-1321mm(52") H-1854mm(73") Sash: W-1270mm(50") H-918mm(36.13") DLO: W-1210mm(47.63") H-854mm(33.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-13a ASTM E1996-14a TAS 201/202/203-94	Class R-PG55 1321 x 1854 (52 x 73)-H Design Pressure: 2640 Pa (55 psf) Negative Design Pressure: 2880 Pa (60 psf) Water Penetration Resistance Test Pressure: 395 Pa (8.25 psf) Missile Level D - Wind Zone 3 Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: I1524.01-109-47/I2381.01-109-47/ NCTL-110-16327-1
Expiration Date: March 31, 2029

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023