

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016387.01
DATE: 11/05/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "V1/2200/2300" Model "2251/2351 IG" Vinyl Picture Window Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-1346mm(53") H-1600mm(63") DLO: W-1235mm(48.63") H-1486mm(58.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG60 1346 x 1600 (53 x 63)-FW Design Pressure: ± 2880 Pa (± 60 psf) Water Penetration Resistance Test Pressure: 440 Pa (9.20 psf)

Product Tested By: Intertek, PLC
Report No: G8442.01-201-47
Expiration Date: November 30, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023