NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016427.04**
DATE:	**12/10/2024**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Silverline**
CODE:	**3108-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products **5020 Weston Parkway** **Cary, NC 27513**	**Series "8700FIN"** **Vinyl Horizontal Sliding Window** **(Fin)** Configuration: XX Glazing: Insulating Glass (Annealed) Frame: W-1854mm(73") H-1219mm(48") Sash: W-914mm(36") H-1127mm(44.38") DLO: W-835mm(32.88") H-1048mm(41.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class R-PG35 1854 x 1219 (73 x 48)-HS** **Design Pressure: ±1680 Pa (±35 psf)** **Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)**

Product Tested By: Architectural Testing, Inc.
Report No: D2943.01-109-47
Expiration Date: **December 31, 2028**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com