NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016428.02**
DATE:	**12/11/2024**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Silverline**
CODE:	**3108-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products **5020 Weston Parkway** **Cary, NC 27513**	**Series "2800/2803/2804"** **Vinyl Horizontal Sliding Window** **(Nail Fin)** Configuration: XOX Glazing: Insulating Glass (Annealed) Frame: W-2743mm(108") H-1499mm(59") Sash: W-921mm(36.25") H-1435mm(56.50") DLO: W-864mm(34") H-1368mm(53.88")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class R-PG15 2743 x 1499 (108 x 59)-HS** **Design Pressure: ±720 Pa (±15 psf)** **Water Penetration Resistance Test Pressure: 220 Pa (4.60 psf)**

Product Tested By: Intertek, PLC
Report No: E7251.01-109-47
Expiration Date: **December 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com