

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016437.15
DATE: 12/19/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Silverline
CODE: 3108-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products 5020 Weston Parkway Cary, NC 27513	Series "3000/3900 3001/3901 Vinyl Double Hung Window Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-965mm(38") H-1949mm(76.75") Sash: W-899mm(35.38") H-970mm(8.19") DLO: W-805mm(31.69") H-889mm(35")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class LC-PG35 965 x 1949* (38 x 77*)-H Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)

Product Tested : Architectural Testing, Inc.
Report No: D4554.01-109-47/B1944.01-109-47
Expiration Date: **December 31, 2028**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023