NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI016449.01**
DATE:	**12/26/2024**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Silverline**
CODE:	**3108-1**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Silverline Building Products **5020 Weston Parkway** **Cary, NC 27513**	**Series "5500/5700 5502/5702"** **Vinyl Two Panel Sliding Door** Configuration: XO Glazing: Insulating Glass (Tempered) Frame: W-1819mm(71.63") H-2432mm(95.75") Panel: W-902mm(35.50") H-2381mm(93.75") DLO: W-797mm(31.38") H-2261mm(89")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	**Class R-PG20 1819 x 2432 (72 x 96)-SD** **Design Pressure: ±960 Pa (±20 psf)** **Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)**

Product Tested By: Intertek, PLC.
Report No: E6284.01-109-47
Expiration Date: **December 31, 2028**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com