NOTICE OF PRODUCT CERTIFICATION

| CERTIFICATION PROGRAM: <u>Structural</u> COMPANY: <u>NewSouth</u> CODE: 2013-1 REVISION DATE: <u>09/16/2015</u> | OF ISNE CERTIFICATION BOCK | CERTIFICATION PROGRAM: COMPANY: CODE: | <u>Structural</u> <u>NewSouth</u> 2013-1 |
|--|-------------------------------|---|--|
|--|-------------------------------|---|--|

To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | | PRODUCT DESC | CRIPTION |
|---------------------------------|--|-----------------|------------------|
| Doers Window Manufacturing, LLC | Series "4600" | | |
| 4901 Oak Fair Boulevard | Vinyl Fixed Window | | |
| Tampa, FL 33610 | | | |
| | Configuration: O Glazing: Insulating Glass (Annealed) | | |
| | Frame: | W-940mm(37.00") | H-1839mm(72.00") |
| | DLO: | W-860mm(33.87") | H-1749mm(68.87") |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 | Class CW-PG70 940 x 1829 (37 x 72)-FW FW-C70 940 x 1829 (37 x 72) |
| AANIA/ W DINA/CSA 101/1.5.2/A440-05 | Design Pressure: 3360 Pa (70 psf) |
| | Negative Design Pressure: 3360 Pa (70 psf) Water Penetration Resistance Test Pressure: 580 Pa(12.11 psf) |

Product Tested By: Report No: Expiration Date: Architectural Testing Incorporated C0574.02-501-47 **November 30, 2016**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC. 4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124/ Fax: (804) 684-5122