NOTICE OF PRODUCT CERTIFICATION



| CERTIFICATION NO: |
|-------------------------------|
| DATE: |
| CERTIFICATION PROGRAM: |
| COMPANY: |
| CODE: |
| |

| NI011712.01 | |
|-------------|--|
| 09/16/2015 | |
| Structural | |
| NewSouth | |
| 2013-1 | |

To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION | | |
|---------------------------------|--|------------------|------------------|
| Doers Window Manufacturing, LLC | "Sashlite" | | |
| 4901 Oak Fair Boulevard | New Construction | | |
| Tampa, FL 33610 | Vinyl Fixed Window | | |
| | Configuration: O Glazing: Insulating Glass (Annealed) | | |
| | Frame: | W-1422mm(56.00") | H-1422mm(56.00") |
| | DLO: | W-1249mm(49.18") | H-1249mm(49.18") |

| SPECIFICATION | PRODUCT RATING |
|---------------------------------|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-08 | Class LC-PG35 1422 x 1422 (56 x 56)-FW Design Pressure: 1680 Pa (35 psf) Negative Design Pressure: 1680 Pa (35 psf) Water Penetration Resistance Test Pressure: 360 Pa(7.52 psf) |

Product Tested By: Report No: Expiration Date: Architectural Testing Incorporated A6140.01-401-44 November 30, 2015

Shi

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC. 4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122