

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO:	<u>NI014259.02-R3</u>
DATE:	<u>11/13/2018</u>
CERTIFICATION PROGRAM:	<u>Structural</u>
COMPANY:	<u>Ply Gem</u>
CODE:	<u>1408-1</u>
REVISION DATE:	<u>02/18/2026</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	Series "Pro Classic/1500/5700" Vinyl Sliding Patio Door Configuration: OX Glazing: Insulated Glass (Tempered) Frame: W-1816mm(71.5") H-2019mm(79.5") Panel: W-902mm(35.5") H-1951mm(76.81") DLO: W-781mm(30.75") H-1829mm(72")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG40 1803 x 2007* (72 x 80*)-SD Design Pressure: ±1920 Pa (40 psf) Water Penetration Resistance Test Pressure: 290 Pa (6.06 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-21604-1/NCTL-110-21566-1/W-1953/W-2010
Expiration Date: August 30, 2030

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shu", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023