

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014259.07-R3  
DATE: 01/29/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Ply Gem  
CODE: 1408-1  
REVISION DATE: 05/14/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS                                                                            | PRODUCT DESCRIPTION                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ply Gem Window Group</b><br><br><b>433 North Main Street</b><br><br><b>Rocky Mount, VA 24151</b> | <b>Series "Pro Classic/1500/5700"</b><br><br><b>Vinyl Sliding Patio Door</b><br><br>Configuration: OX<br>Glazing: IG-1/8" Tempered Glass/1/8" Annealed Glass/0.090" Eastman Saflex PVB Interlayer/1/8" Annealed Glass<br><br>Frame: W-1816mm(71.5") H-2070mm(81.5")<br>Panel: W-902mm(35.5") H-2003mm(78.88")<br>DLO: W-778mm(30.63") H-1880mm(74") |

| SPECIFICATION                                                                                                                                                                                                                        | PRODUCT RATING                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AAMA 506-06/08/11/16</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b><br><b>ASTM E1886-02/04/05/13a</b><br><b>ASTM E1996-02/04/06/09/12a/14a</b> | <b>Class LC-PG50 1828 x 2083* (72 x 82*)-SD</b><br><b>Design Pressure: <math>\pm 2400</math> Pa (<math>\pm 50</math> psf)</b><br><b>Positive Design Pressure: 2640 Pa (55 psf)</b><br><b>Negative Design Pressure: 2640 Pa (55 psf)</b><br><b>Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)</b><br><b>Wind Zone 3 - Missile Level D</b> |

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-21611-1/NCTL-110-21566-1/NCTL-110-21567-1/W-1953/  
W-2010

Expiration Date: October 31, 2030

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023