

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011409-R9
DATE: 01/29/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 09/05/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	"1500 Vinyl Collection/Classic" Vinyl Casement Window Configuration: X Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" Eastman Interlayer/1/8" Annealed Glass or 1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" Kuraray Interlayer/1/8" Annealed Glass Frame: W-902mm(35.5") H-1816mm(71.5") Vent: W-854mm(33.62") H-1768mm(69.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 AAMA 506-06/08/11/16 ASTM E1886-02/05/13a/19 ASTM E1996-02/05/14/17/20	Design Pressure: +50/-60 psf Wind Zone 3-Missile Level D Individual Rating: Class LC-PG50 914 x 1829 (36 x 72)-C Negative Design Pressure: 2880 Pa (60 psf) Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-15390-1/W-2016/W-2047
Expiration Date: March 31, 2029

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi D".

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30-2023