

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006315-R10
DATE: 11/18/2005
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 03/31/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	“Pro Series Classic Casement Stationary Window” Vinyl Fixed Window Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1829mm (72") H-1829mm (72") DLO: W-1676mm (66") H-1676mm (66")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class R-PG50 1829 x 1829 (72 x 72)-FW Design Pressure: ±2394 Pa (±50 psf) Positive Design Pressure: 2873 Pa (60 psf) Negative Design Pressure: 2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 431 Pa (9.0 psf)

Product Tested By: Certified Testing Laboratories, Inc.
Report No: CTLA-1401W (Structural/FER/Gateway)/W-2112
Expiration Date: October 31, 2030

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com

NOPC 03/30/2023