

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011049-R3
DATE: 04/09/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Loewen
CODE: 1862-1
REVISION DATE: 07/14/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Loewen 77 Highway 52 West Steinbach, Manitoba R5G 1B2	"Aluminum Clad Wood Fixed Door" Metal Clad French Patio Fixed Door Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-1829mm(72") H-3048mm(120") DLO: W-1537mm(60.5") H-2654mm(104.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	LC-PG50 1829 x 3048 (72 x 120)-FD FD-C50 1829 x 3048 (72 x 120) Design Pressure: 2400 (50 psf) Negative Design Pressure: 2400 (50 psf) Water Penetration Resistance Test Pressure: 720 Pa(15.0 psf) Canadian Air Infiltration/Exfiltration Level: Fixed

Product Tested By: Architectural Testing, Inc.
Report No: B5117.01-750-44
Expiration Date: December 31, 2029

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOP C-03/30/2023