

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012647
DATE: 05/11/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Doers
CODE: 2013-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Doers Window Manufacturing, LLC 4901 Oak Fair Boulevard Tampa, FL 33610	Series "Non-Impact Sliding Glass Door" Vinyl Sliding Door (Aluminum Interlock) Configuration: X/X Glazing: Insulating Glass (Tempered) Frame: W-2438mm(96") H-2438mm(96") DLO: W-1007mm(39.63") H-2124mm(83.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG45 2438 x 2438 (96 x 96)-SD Design Pressure: 2155 Pa (45 psf) Negative Design Pressure: 2394 Pa (50 psf) Water Penetration Resistance Test Pressure: 287 Pa (6.0 psf)

Product Tested By: Testing Evaluation Laboratories, Inc.
 Report No: TEL 02021041
 Expiration Date: **July 31, 2018**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
 Fax: (804) 684-5122