

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009445-R6
DATE: 04/28/2008
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 11/19/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	“Mira Fin Frame Aluminum Clad Double Hung Fixed Sash In Frame Transom” Fixed Window Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1864mm(73.38") H-746mm(29.37") STP: Pos+6105Pa (127.5 psf) Neg-6105Pa (127.5 psf)

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG80 1864 x 746 (73 x 29)-FW FW-LC80 1864 x 746 (73 x 29) Design Pressure: 3830 Pa (80 psf) Negative Design Pressure: 4070 Pa (85 psf) Water Penetration Resistance Test Pressure: 575 Pa (12.0 psf)

Product Tested By: Certified Testing Laboratories, Inc.
Report No: CTLA-1842W/W-2010
Expiration Date: April 30, 2030

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023