NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI010616-R4**
DATE:	**05/12/2011**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Ply Gem**
CODE:	**1408-1**
REVISION DATE:	**11/20/2025**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group **433 North Main Street** **Rocky Mount, VA 24151**	**Series "Mira Sliding Glass Door"** **Aluminum Clad Wood** **Sliding Glass Door** Configuration: XO Glazing: Insulating Glass (Tempered) Frame: W-1803mm(71") H-2511mm(98.88") DLO: W-914mm(36") H-2438mm(96")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05**	**Class R-PG50 1803 x 2511 (71 x 99)-SD** **SD-R50 1803 x 2511 (71 x 99)** **Design Pressure: 2394 Pa (50 psf)** **Negative Design Pressure: 2394 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 359 Pa (7.5 psf)**

Product Tested By: National Certified Testing Laboratories, Inc.
Report No: NCTL-110-13902-1/W-2010
Expiration Date: **April 30, 2030**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com