

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010616.02-R4
DATE: 11/02/2011
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 11/19/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	Series "Mira Sliding Glass Door" Aluminum Clad Wood Impact Rated Sliding Glass Door Configuration: XO Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/ 1/8" Annealed Glass Frame: W-1803mm(71") H-2511mm(98.88") DLO: W-914mm(36") H-2438mm(96")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 AAMA 506-06 ASTM E1886-02/05/E1996-02/05	Class R-PG50 1803 x 2511 (71 x 99)-SD Design Pressure: +50/-50 psf Wind Zone 3-Missile Level D SD-R50 1803 x 2511 (71 x 99)

Product Tested By: National Certified Testing Laboratories, Inc.
Report No: NCTL-110-13902-3/W-2010
Expiration Date: April 30, 2030

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023