

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016715
DATE: 07/10/2025
CERTIFICATION PROGRAM: Structural
COMPANY: Kennedy
CODE: 1978-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Natural Light Energy Systems dba Kennedy Skylights 5294 Tower Way Sanford, FL 32773	Series "HSFAW" Fixed Aluminum Clad Roof Skylight (Hurricane Rated Self-Flashing Aluminum w/Wood) Configuration: O Outer Dome: 0.08" thick Polycarbonate 9" Dome Rise Inner Dome: 0.05" thick Polycarbonate Frame: W-1302mm(51.25") H-1302mm(51.25") DLO: W-1200mm(47.25") H-1200mm(47.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±2880 Pa (±60 psf) Water Penetration Resistance Test Pressure: 440 Pa (9.20 psf) Large Missile Impact Rated

Product Tested By: PRI Construction Materials Technologies, LLC
Report No: 2822T0002
Expiration Date: April 30, 2029

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023