NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI011052.03-R9**
DATE:	**05/30/2012**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Loewen**
CODE:	**1862-1**
REVISION DATE:	**07/14/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Loewen **77 Highway 52 West** **Steinbach, Manitoba R5G 1B2**	**Series "25" Aluminum Clad Wood Double Hung Window** Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-1164mm(46") H-2140mm(84.25") Sash: W-1080mm(42.5") H-1063mm(41.75")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05**	**Class LC-PG30 1164 x 2140 (46 x 84)-H** **H-LC30 1164 x 2140 (46 x 84)** **Design Pressure: 1440 Pa (30 psf)** **Negative Design Pressure: 1440 Pa (30 psf)** **Water Penetration Resistance Test Pressure: 400 Pa (8.35 psf)** **Canadian Air Infiltration/Exfiltration Level: A3**

Product Tested By: Architectural Testing, Inc.
Report No: B5115.01-750-44/W-1567/W-1818/W-1956/W-2116
Expiration Date: **December 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com