

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011054-R5
DATE: 04/09/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 04/07/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsman 6031 Clark Center Avenue Sarasota, FL 34238	Series "DS-300" Vinyl Horizontal Sliding Window Configuration: XX Flush or Strap Installation & Reverse Glazing Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" DuPont Butacite Interlayer/1/8" Annealed Glass or Laminate-1/8" Annealed Glass/0.090" DuPont Butacite Interlayer/1/8" Annealed Glass/1/8" Annealed Glass Frame: W-1880mm(74") H-1600mm(63") Panel: W-918mm(36.13") H-1530mm(60.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94 ASTM E1886-02/05/13a ASTM E1996-02/05/14a AAMA/WDMA/CSA 101/I.S.2/A440-05 AAMA/WDMA/CSA 101/I.S.2/A440-08	Design Pressure: +50/-50 psf Wind Zone 2 Missile Level D H-LC50 1880 x 1600 (74 x 63) Class LC-PG50 1880 x 1600 (74 x 63)-HS

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-14895-1/110-14895-2/110-14895-3/110-14895-4/W-1965
Expiration Date: September 30, 2030

Administrator's Signature: _____ 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023