

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011286.03-R2
DATE: 04/12/2021
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern
CODE: 1783-1
REVISION DATE: 01/07/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Ft. Myers, FL 33913	Series "FWI 1000 Horizontal Roller" Aluminum Un-Equal Lite Horizontal Sliding Window Configuration: XOX Glazing: IG - 1/8" Annealed Glass/1/8" Annealed Glass/0.090"Saflex PVB Interlayer/1/8" Annealed Glass or Monolithic - 1/8" Annealed Glass/0.090" Saflex PVB Interlayer/1/8" Annealed Glass Frame: W-2819mm(111") H-1930mm(76") Panel: W-706mm(27.81") H-1819mm(71.63") DLO: W-1311mm(51.63") H-1808mm(71.19")

SPECIFICATION	PRODUCT RATING
ASTM E1886-13a/E1996-14a TAS 201/202/203-94	Design Pressure: ± 2873 Pa (± 60 psf) Water Penetration Resistance Test Pressure: 431 Pa (9.0 psf) Wind Zone 4-Missile Level D Large Missile Impact Rated

Product Tested By: Blackwater Technical Services, Inc.
Report No: BT-EAS-20-002/W-2044
Expiration Date: March 31, 2027

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023