

NOTICE OF PRODUCT CERTIFICATION



Company: Plastpro, Inc.
4737 Kister Court
Ashtabula, OH 44004

Certification No.: NI011343-R3 Page 1 of 2
Certification Date: 11/30/2012
Expiration Date: 01/31/2028
Revision Date: 04/08/2025

Product: Fiberglass Glazed or Opaque Double Door w/ Opaque or Glazed Sidelites

Specification: TAS 201/202/203-94

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Water Test Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
XX Double	O/S	Glazed	6'2" x 6'8"	+50/-50	NA	Yes	CTLA-924W Max DLO: 1'9" x 5'3" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: X/XX
XX Double	O/S	Glazed	6'2" x 8'0"	+50/-50	7.5 psf	Yes	CTLA-924W Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: X/XX
OXXO Double w/Sidelite	O/S	Glazed	12'5" x 6'8"	+50/-50	7.5 psf	Yes	CTLA-924W Max DLO: 1'9" x 5'3" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: O/X/OX/XO/OXO/OXXO
OXXO Double w/Sidelite	O/S	Glazed/ Opaque	12'5" x 6'8"	+50/-50	7.5 psf	Yes	CTLA-924W Max DLO: 1'9" x 5'3" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: O/X/OX/XO/OXO/OXXO
OXXO Double w/Sidelite	I/S	Glazed	12'5" x 8'0"	+47.5/-47.5	2.86 psf	Yes	CTLA-924W Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: O/X/OX/XO/OXO/OXXO

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/Fax: (804) 684-5122

NAMI AUTHORIZED SIGNATURE: _____

NOTICE OF PRODUCT CERTIFICATION



Company: Plastpro, Inc.
4737 Kister Court
Ashtabula, OH 44004

Certification No.: NI011343-R3 Page 2of 2
Certification Date: 11/30/2012
Expiration Date: 01/31/2028
Revision Date: 04/08/2025

Product: Fiberglass Glazed or Opaque Double Door w/ Opaque or Glazed Sidelites

Specification: TAS 201/202/203-94

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Water Test Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
OXXO Double w/Sidelite	O/S	Glazed	12'5" x 8'0"	+50/-50	7.5 psf	Yes	CTLA-924W Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: O/X/OX/XO/OXO/OXXO
OXXO Double w/Sidelite	O/S	Glazed/ Opaque	12'5" x 8'0"	+50/-50	7.5 psf	Yes	CTLA-924W Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: O/X/OX/XO/OXO/OXXO
OXXO Double w/Sidelite	I/S	Glazed	12'5" x 6'8"	+50/-50	2.86 psf	Yes	CTLA-924W Max DLO: 1'9" x 5'3" Glazing: IG-1/8" Tempered// 1/8" Annealed/.090" Laminate/1/8" Annealed Qualifies Configurations: O/X/OX/XO/OXO/OXXO

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/Fax: (804) 684-5122

NAMI AUTHORIZED SIGNATURE: _____

A handwritten signature in black ink, appearing to be 'Shi' or similar, written over a horizontal line.