

# NOTICE OF PRODUCT CERTIFICATION



|                               |                       |
|-------------------------------|-----------------------|
| <b>CERTIFICATION NO:</b>      | <b>NI013370.09-R6</b> |
| <b>DATE:</b>                  | <b>09/17/2016</b>     |
| <b>CERTIFICATION PROGRAM:</b> | <b>Structural</b>     |
| <b>COMPANY:</b>               | <b>Ply Gem</b>        |
| <b>CODE:</b>                  | <b>1408-1</b>         |
| <b>REVISION DATE:</b>         | <b>02/20/2024</b>     |

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS                                                                            | PRODUCT DESCRIPTION                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ply Gem Window Group</b><br><br><b>433 North Main Street</b><br><br><b>Rocky Mount, VA 24151</b> | <b>Series "1500"</b><br><br><b>Triple Vinyl Single Hung</b><br><br><b>(Integral Mullion)</b><br><br>Configuration: O/X//O/X//O/X<br>Glazing: Insulating Glass (Annealed)<br><br>Frame: W-2734mm(107.63") H-1865mm(73.44")<br><br>Sash: W-836mm(32.94") H-900mm(35.44") |

| SPECIFICATION                                                                                                                                                                                | PRODUCT RATING                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b><br><b>CSA A440S1-09</b> | <b>Class LC-PG50 2734 x 1865 (108 x 73)-H</b><br><b>H-LC50 2734 x 1865 (108 x 73)</b><br><b>Design Pressure: ±2400 Pa (50 psf)</b><br><b>Positive Design Pressure: 2400 Pa (50 psf)</b><br><b>Negative Design Pressure: 2640 Pa (55 psf)</b><br><b>Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)</b><br><b>Canadian Air Infiltration/Exfiltration Level: A2</b> |

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-19353-3/NCTL-110-19353-1/W-1831/W-2112/W-2047  
Expiration Date: **June 30, 2028**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "MD" or similar, written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)