

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011503-R1  
DATE: 03/21/2013  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eurostyle  
CODE: 1959-1  
REVISION DATE: 02/03/2015

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eurostyle Impact Windows &amp; Doors, LLC</b> <b>217 Northwest 4<sup>th</sup> Avenue</b> <b>Hallandale Beach, FL 33009</b>	<b>Series "4500"</b> <b>Fixed Impact Rated Window</b>  (Dry Glazed) Configuration: O  Glazing: IG-Exterior-3/16" Tempered Glass/Interior-Laminate-3/16" Annealed Glass/0.090" SentryGlas® Plus by DuPont/3/16" Annealed Glass  Frame: W-1219mm(48")      H-2489mm(98") DLO: W-1080mm(42.5")      H-2362mm(93")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: +65/-65 psf</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3741-2  
Expiration Date: April 30, 2019

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Shu", is written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122