

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011504
DATE: 03/21/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Eurostyle
CODE: 1959-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eurostyle Impact Windows & Doors, LLC 217 Northwest 4th Avenue Hallandale Beach, FL 33009	Series "4500" Tilt/Slide Door w/Direct Set or Fixed Panel Configuration: OX Glazing: IG-Interior-3/16" Tempered Glass/Exterior-Laminate-3/16" Annealed Glass/0.090" SentryGlas® Plus by DuPont/3/16" Annealed Glass Frame: W-2438mm(96") H-2438mm(96") Panel: W-11633mm(45.88") H-2362mm(93")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +80/-80 psf Large Missile Impact Rated

Product Tested By: Architectural Testing, Inc.
Report No: C2187.01-301-18
Expiration Date: **February 28, 2017**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122