

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011593.08-R10
DATE: 10/28/2013
CERTIFICATION PROGRAM: Structural
COMPANY: ProVia Door
CODE: 1212-1
REVISION DATE: 07/29/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia LLC 2150 State Route 39 Sugarcreek, OH 44681	Steel Out-Swing Glazed Double Side Hinged Doors w/Sidelites Impact Rated Configuration: OXXO Glazing: IG-Exterior-1/8" Tempered Glass/ Interior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass/Center-1/8" Tempered Glass/Interior-1/8" Tempered Glass/ IG-Exterior-1/8" Tempered Glass/Center-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-1/8" Tempered Glass/Center-Decorative Inlay/Interior- Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-1/8" Tempered Glass/Center-Wrought Iron Decorative Inlay/Interior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass Frame: W-3525mm(138.8") H-2479mm(97.6") Panel: W-908mm(35.75") H-2411mm(94.93") Sidelite: W-645mm(25.38") H-2479mm(97.6")

SPECIFICATION	PRODUCT RATING
ASTM E283-04(12)/E330-02(10) ASTM E1886-04/05/E1996-02/04/06/09/12a	Design Pressure: 2633 Pa (55 psf) Wind Zone 3-Missile Level D

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-15660-1/NCTL-110-15660-2/NCTL-110-15650-2/NCTL-110-15650-4/NCTL-110-15651-
2/NCTL-110-15651-4/W-1634/W-2002/W-2024/W-2084/W-2104/W-2105/W-2170/W-2199
Expiration Date: **December 31, 2028**

Administrator's Signature: _____

**NATIONAL ACCREDITATION &
MANAGEMENT INSTITUTE, INC.**

**4794 George Washington Memorial Highway
Hayes, VA 23072**

Tel: (804) 684-5124/Email: nami@namiinc.com

NOPC 03/30/2023