

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015128-R2
DATE: 12/14/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern Arch
CODE: 1783-1
REVISION DATE: 03/17/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namincertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "176 SH ORIEL PVB" Vinyl Single Hung Window Configuration: O/X Glazing: IG-1/8" Annealed Glass/1/8" Annealed Glass/0.090" PVB by Dupont Interlayer/1/8" Annealed Glass Frame: W-1346mm(53") H-1905mm(75") Sash: W-1257mm(49.50") H-772mm(30.38") DLO: W-1224mm(48.19") H-1024mm(40.31")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±2880 Pa (±60 psf) Water Penetration Resistance Test Pressure: 430 Pa (9.00 psf) Large Missile Impact Rated

Product Tested By: Blackwater Technical Services, Inc.
Report No: BT-EAS-20-001/W-2184
Expiration Date: November 30, 2027

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com

NOPC-03/30/2023