

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015128.01-R2  
DATE: 12/14/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eastern Arch  
CODE: 1783-1  
REVISION DATE: 03/17/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS                                                                           | PRODUCT DESCRIPTION                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eastern Architectural Systems</b><br><b>16341 Domestic Avenue</b><br><b>Ft. Myers, FL 33912</b> | <b>Series "176 SH PVB"</b><br><b>Vinyl Single Hung Window</b><br><br>Configuration: O/X<br>Glazing: IG-1/8" Annealed Glass/1/8" Annealed Glass/0.090" PVB by Dupont Interlayer/1/8" Annealed Glass<br>Frame: W-1346mm(53") H-1905mm(75")<br>Sash: W-1257mm(49.50") H-940mm(37")<br>DLO: W-1224mm(48.19") H-856mm(33.69") |

| SPECIFICATION             | PRODUCT RATING                                                                                                                                   |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TAS 201/202/203-94</b> | <b>Design Pressure: ±2880 Pa (±60 psf)</b><br>Water Penetration Resistance Test Pressure: 430 Pa (9.00 psf)<br><b>Large Missile Impact Rated</b> |

Product Tested By: Blackwater Technical Services, Inc.  
Report No: BT-EAS-20-001/W-2184  
Expiration Date: November 30, 2027

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023