

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010431.05-R3
DATE: 07/25/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Provia
CODE: 1212-1
REVISION DATE: 07/10/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia LLC 2150 State Route 39 Sugarcreek, OH 44681	“Fiberglass Standard Sidelite” Embossed Fixed Panel Sidelite w/Composite Frame Configuration: O Glazing: Insulating Glass (Tempered) Sidelite: W-438mm(17.25") H-2477mm(97.5") DLO: W-178mm(7") H-1603mm(63.13")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02	Design Pressure: +48/-52 psf

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-13337-1/NCTL-110-15650-1/NCTL-110-15650-4/W-1618
Expiration Date: September 30, 2029

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023