

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011436-R2
DATE: 02/06/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Peachtree
CODE: 1943-1
REVISION DATE: 12/05/2019

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Peachtree Protective Covers 1477 Rosedale Drive Hiram, GA 30141	"ACM Wall Panel System" Aluminum Wall Panel System (Dry-Joint) Panels (Four): 0.158" Thick (Overall) Composed of: 0.118" Thick Plastic Core w/0.020" Thick Aluminum Interior and Exterior Skins Frame: W-2416mm(95.13") H-2426mm(95.5") Bottom Panel: W-2416mm(95.13") H-1181mm(46.5") Top Left Panel: W-1181mm(46.5") H-1219mm(48")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02/E331-00 AAMA 501.1-05	Design Pressure: +3600 Pa (75 psf)/-2880 Pa (60 psf) Static Water Penetration Resistance Test Pressure: 718 Pa (15.0 psf) Dynamic Water Penetration Resistance Test Pressure: 718 Pa (15.0 psf)

Product Tested By: Architectural Testing, Inc.
Report No: B7289.01-109-44
Expiration Date: February 28, 2030

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi D", is written over the signature line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122