

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011590.01-R6
DATE: 08/01/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Shwinco
CODE: 1972-1
REVISION DATE: 03/26/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Shwinco Architectural Products, LLC 171 Jet Services Way Dothan, AL 36303	Series "9700" Impact Rated Vinyl Sliding Glass Door (1.75" Sill Riser) Configuration: XO Glazing: IG-Ext-3/16" Tempered Glass/ Int-Laminate-3/16" Annealed Glass/0.090" Interlayer by Solutia/3/16" Annealed Glass Frame: W-1816mm(71.5") H-2019mm(79.5") Panel: W-953mm(37.5") H-1943mm(76.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 ASTM E1886-02/04/05/13a ASTM E1996-04/06/09/14a TAS 201/202/203-94	Class LC-PG70 1816 x 2019* (72 x 80*)-SD Design Pressure: ± 3352 Pa (± 70 psf) Positive Design Pressure: 3352 Pa (70 psf) Negative Design Pressure: 3830 Pa (80 psf) Water Penetration Resistance Test Pressure: 504 Pa (10.5 psf) Wind Zone 4-Missile Level D Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3886-1/NCTL-210-3886-1A/W-1930
Expiration Date: May 31, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com

NOPC-03/30/2023