

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010966.01-R3
DATE: 09/07/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 04/07/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsmen 6031 Clark Center Avenue Sarasota, FL 34238	Series "MB-200" Fixed Vinyl Twin Window w/Unclipped Mullion Configuration: OO Glazing: IG-Interior-5/32" Annealed Glass/Exterior-Laminate-5/32" Annealed Glass/0.090" DuPont SentryGlas Plus/5/32" Annealed Glass Frame: W-2718mm(107") H-1956mm(77") DLO: W-1213mm(47.75") H-1816mm(71.5")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +70/-70 psf Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3907-1/NCTL-110-14729-1
Expiration Date: August 31, 2030

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOP C-03/30/2023