

Hallmark® Certificate of Conformance and License (CCL)



Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
413-H-1054.18	Heritage Inswing Door Sidelite, Narrow Stiles, SP (R&D 23007 Re-Cert 13023)	101/I.S.2/A440-22	Class LC-PG70; Size Tested 1273mm x 2507mm Type-FD; DP +70/-75 psf; Water Test Press 510Pa (10.65psf)	1273mm	2507mm	QCT23-6906.40	3/22/2024	11/28/2033
413-H-1054.19	Heritage Inswing Door Sidelite, Narrow Stiles, SP (R&D 23007 Re-Cert 13023)	101/I.S.2/A440-17	Class LC-PG70; Size Tested 1273mm x 2507mm Type-FD; DP +70/-75 psf; Water Test Press 510Pa (10.65psf)	1273mm	2507mm	QCT23-6906.40	3/22/2024	11/28/2033
413-H-1054.20	Heritage Inswing Door Sidelite, Narrow Stiles, SP (R&D 23007 Re-Cert 13023)	CSA A440 S1-19	Class LC-PG70; Size Tested 1273mm x 2507mm Type-FD; DP +3360/-3600 Pa; Water Test Press 510Pa; Can. Air Infil/Exfil. Level=A3	1273mm	2507mm	QCT23-6906.40	3/22/2024	11/28/2033
413-H-1054.21	Heritage Inswing Door Sidelite, Narrow Stiles, SP (R&D 23007 Re-Cert 13023)	CSA A440 S1-17	Class LC-PG70; Size Tested 1273mm x 2507mm Type-FD; DP +3360/-3600 Pa; Water Test Press 510Pa	1273mm	2507mm	QCT23-6906.40	3/22/2024	11/28/2033
413-H-1084.14	Heritage Pushout Casement Rect, WW, SP (R&D 23080 Re-Cert 13224)	101/I.S.2/A440-22	Class LC-PG50; Size Tested 914mm x 1829mm Type-C; DP +50/-50 psf; Water Test Press 360Pa (7.52psf)	914mm	1829mm	QCT24-7203.05	3/22/2024	1/31/2034
413-H-1084.15	Heritage Pushout Casement Rect, WW, SP (R&D 23080 Re-Cert 13224)	101/I.S.2/A440-17	Class LC-PG50; Size Tested 914mm x 1829mm Type-C; DP +50/-50 psf; Water Test Press 360Pa (7.52psf)	914mm	1829mm	QCT24-7203.05	3/22/2024	1/31/2034
413-H-1084.16	Heritage Pushout Casement Rect, WW, SP (R&D 23080 Re-Cert 13224)	CSA A440 S1-19	Class LC-PG50; Size Tested 914mm x 1829mm Type-C; DP +2400/-2400 Pa; Water Test Press 360Pa ; Can. Air Infil/Exfil. Level=A3	914mm	1829mm	QCT24-7203.05	3/22/2024	1/31/2034
413-H-1084.17	Heritage Pushout Casement Rect, WW, SP (R&D 23080 Re-Cert 13224)	CSA A440 S1-17	Class LC-PG50; Size Tested 914mm x 1829mm Type-C; DP +2400/-2400 Pa; Water Test Press 360Pa	914mm	1829mm	QCT24-7203.05	3/22/2024	1/31/2034
413-H-1255.10	Heritage Inswing French Casement, SP (R&D 23010 Re-Cert of 13027)	101/I.S.2/A440-22	Class R-PG20; Size Tested 1219mm x 1829mm Type-C; DP +40/-40 psf; Water Test Press 150Pa (3.13psf)	1219mm	1829mm	QCT23-6906.41	3/22/2024	11/27/2033

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Kolbe & Kolbe Millwork Co.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com


Website: www.kolbewindows.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
413-H-1255.11	Heritage Inswing French Casement, SP (R&D 23010 Re -Cert of 13027)	101/I.S.2/A440-17	Class R-PG20; Size Tested 1219mm x 1829mm Type-C; DP +40/-40 psf; Water Test Press 150Pa (3.13psf)	1219mm	1829mm	QCT23-6906.41	3/22/2024	11/27/2033
413-H-1255.12	Heritage Inswing French Casement, SP (R&D 23010 Re -Cert of 13027)	CSA A440 S1-19	Class R-PG20; Size Tested 1219mm x 1829mm Type-C; DP +1920/-1920 Pa; Water Test Press 150Pa ; Can. Air Infil/Exfil. Level=A3	1219mm	1829mm	QCT23-6906.41	3/22/2024	11/27/2033
413-H-1255.13	Heritage Inswing French Casement, SP (R&D 23010 Re -Cert of 13027)	CSA A440 S1-17	Class R-PG20; Size Tested 1219mm x 1829mm Type-C; DP +1920/-1920 Pa; Water Test Press 150Pa	1219mm	1829mm	QCT23-6906.41	3/22/2024	11/27/2033

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  **John McFee, VP of Certification Programs, WDMA Hallmark**

By:  **Lucas L. Wenzel, Authorized Representative, AMS**

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com