



W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. (CA #6809)

7480 150TH COURT NORTH
PALM BEACH GARDENS, FL 33418
561-744-3424



TESTED MID-RAIL & WOOD
IN-FILL PANEL CONDITION




ALTERNATE MID-RAIL &
WOOD IN-FILL PANEL
CONDITION

THE FOLLOWING SHALL BE NOTED WITH RESPECT TO THE ALTERNATE MID-RAIL CONDITION SPECIFIED & CERTIFIED HERE-IN:

1. THIS DOCUMENT IS APPLICABLE TO FRONTLINE BUILDING PRODUCTS FLORIDA APPROVAL FL16795 ONLY. USE OF THIS DOCUMENT WITH OTHER PRODUCTS &/OR THEIR APPROVALS IS FORBIDDEN WITHOUT THE WRITTEN CONSENT OF W. W. SCHAEFER ENGINEERING & CONSULTING, P.A.
2. W. W. SCHAEFER ENGINEERING & CONSULTING, P.A. ASSUMES RESPONSIBILITY FOR THE CERTIFICATION OF THE ALTERNATE PANEL MID-RAIL CONDITION ONLY AND IN NO WAY ASSUMES ANY RESPONSIBILITY FOR THE DOOR'S GENERAL FLORIDA APPROVAL NOR ANY OTHER DOCUMENTS UPLOADED WITHIN THAT APPROVAL.
3. THE OVERALL PANEL DIMENSIONS SHOWN ARE AS TESTED & APPROVED UNDER FL16795.
4. THE D.L.O. OF THE OVERALL PANEL SECTION SHALL NOT EXCEED 25" X 24.375" AS SHOWN.
5. THE SECONDARY MID-RAIL MAY RUN VERTICAL OR HORIZONTAL.
6. THE END DOWELED CONSTRUCTION OF THE SECONDARY MID-RAIL TO THE EITHER THE STILES, RAILS OR PRIMARY MID-RAIL SHALL BE THE SAME AS THAT REQUIRED OF THE PRIMARY MID-RAIL TO THE PANEL STILES WITH ALL DOWELS BEING FULLY GLUED TO EACH THE SECONDARY MID-RAIL AND THE JOINING RAILS/STILES.
7. THE WOOD RAISED PANEL IN-FILL SHALL BE GLAZED TO THE SECONDARY MID-RAIL THE SAME AS REQUIRED WITH THE PRIMARY MID-RAIL.
8. CONDITIONS OUTSIDE OF THOSE SHOWN HERE-IN ARE NOT PART OF THIS CERTIFICATION AND SHALL BE SUBJECT TO SEPARATE ENGINEER'S REVIEW AND JOB SPECIFIC CERTIFICATION.
9. THE CONDITIONS SHOWN HERE-IN ARE SPECIFIC TO THE ALTERNATE PANEL MID-RAIL CONDITION AND IN NO WAY ALTER THE DOOR APPROVAL NOR THE OTHER DOCUMENTS WITHIN THAT APPROVAL. ASIDE FROM THE ALTERNATE MID-RAIL CONDITION, THE DOOR PANEL SHALL BE CONSTRUCTED AS REQUIRED UNDER FLORIDA APPROVAL FL16795.

DOCUMENT PREPARED FOR:
FRONTLINE BUILDING PRODUCTS, INC.
610 JENSEN DRIVE
MEDFORD, WI 54451



WARREN W. SCHAEFER, P.E.
FLORIDA PE NO. 44135