

Hallmark® Certificate of Conformance and License (CCL)



FrontLine Bldg. Products Inc.
610 Jensen Dr.
PO Box 505
PO Box 505
Medford, WI 54451-1665

Mfr ID: 0830


For more Information visit www.amscert.com

Website: www.frontlinebldg.com

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
0830-H-001.06	400 Clad Casement Picture Window IP	101/I.S.2/A440-11	Class CW-PG80; Size Tested 1219mm x 1829mm Type-FW; DP +80/-80 psf; Water Test Press 720Pa (15.04psf)	1219mm	1829mm	QCT13-3062.02	10/26/2015	6/20/2023
0830-H-001.07	400 Clad Casement Picture Window IP	ASTM E-1996 12/ASTM E-1886-05	DP +80/-80 psf, Missile D, Wind Zone 4	1219mm	1829mm	QCT13-3062.02	10/26/2015	6/20/2023
0830-H-001.09	400 Clad Casement Picture Window IP	TAS 201/202/203-94	DP AND Cycle Pressure = +80/-80 psf	1219mm	1829mm	QCT13-3062.02	10/23/2015	6/20/2023

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com