

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012645.03  
**DATE:** 09/14//2015  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** NewSouth  
**CODE:** 2013-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Doers Window Manufacturing, LLC</b> <b>4901 Oak Fair Boulevard</b> <b>Tampa, FL 33610</b>	<b>Series "4450" Impact Rated</b> <b>Vinyl Single Hung Window</b> <b>Replacement</b>  Configuration: O/X Glazing: IG-1/8" Annealed Glass/ Laminate-1/8" Annealed Glass/0.090" PVB Saflex Interlayer/1/8" Annealed Glass  Frame: W-1041mm(41") H-1956mm(77") Sash: W-946mm(37.25") H-933mm(36.75") DLO: W-851mm(33.5") H-845mm(33.25")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: 1915 Pa (40 psf)</b> <b>Negative Design Pressure: 3112 Pa (65 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: Element Materials Technology  
Report No: ESP013304P-1  
Expiration Date: **January 31, 2019**

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122