

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC.
Administrative Management
Systems, Inc.

Weather Shield Mfg. Inc.
1 Weathershield Plaza
PO Box 309
Medford, WI 54451-0309

Mfr ID: 449

For more Information visit www.amscert.com

Website: www.weathershield.com

TEL: 715-748-2100

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
449-H-013.65	Twin Premium Casement Impact, (1209), mulled below a Premium Casement Picture Impact (1209) - Single Glazed - Vertical Mullion	101/I.S.2/A440-11	Class CW-PG55; Size Tested 905mm Trib area x 2121mm span (35.63trib area/83.5in span) Type-MA; DP +55/-70 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	905mm Trib area	2121mm span	ESP019892P-1719	6/11/2015	6/22/2015	11/6/2029
449-H-013.66	Twin Premium Casement Impact, (1209), mulled below a Premium Casement Picture Impact (1209) - Single Glazed - Horizontal Mullion	101/I.S.2/A440-11	Class CW-PG55; Size Tested 1600mm Trib area x 1810mm span (63trib area/71.25in span) Type-MA; DP +55/-70 psf; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1600mm Trib area	1810mm span	ESP019892P-1719	6/11/2015	6/22/2015	11/6/2029
449-H-013.68	Twin Premium Casement Impact, (1209), mulled below a Premium Casement Picture Impact (1209) - Single Glazed - Horizontal Mullion	TAS 201/202/203-94	DP +55/-70 psf	1810mm	3191mm	ESP019892P-1719	6/11/2015	6/22/2015	11/6/2029
449-H-013.69	Twin Premium Casement Impact, (1209), mulled below a Premium Casement Picture Impact (1209) - Single Glazed - Vertical Mullion	AAMA 450-10	Class CW-PG55; Size Tested 905mm Trib area x 2121mm span (35.63 trib area/83.5in span) Type-MA; DP +55/-70 psf, Wind Zone 4; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	905mm Trib area	2121mm span	ESP019892P-1719	6/11/2015	6/22/2015	11/6/2029
449-H-013.70	Twin Premium Casement Impact, (1209), mulled below a Premium Casement Picture Impact (1209) - Single Glazed - Horizontal Mullion	AAMA 450-10	Class CW-PG55; Size Tested 1600mm Trib area x 1810mm span (63trib area/71.25in span) Type-MA; DP +55/-70 psf, Wind Zone 4; Water Test Press 400Pa (8.35psf); Can. Air Infil/Exfil. Level=A3	1600mm Trib area	1810mm span	ESP019892P-1719	6/11/2015	6/22/2015	11/6/2029
449-H-013.71	Twin Premium Casement Impact, (1209), mulled below a Premium Casement Picture Impact (1209) - Single Glazed - Mulled Combination Assembly	ASTM E-1996 12/ASTM E-1886-05	DP +55/-70 psf, Missile D, Wind Zone 4	1810mm	3191mm	ESP019892P-1719	6/11/2015	6/22/2015	11/6/2029

Hallmark® Certificate of Conformance and License (CCL)




Weather Shield Mfg. Inc.
1 Weathershield Plaza
PO Box 309
Medford, WI 54451-0309

Mfr ID: 449
For more Information visit www.amscert.com
Website: www.weathershield.com
TEL: 715-748-2100

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	RptDate	CertDate	ExpDate
-------------	--------------	----------	--------	------	------	---------------	---------	----------	---------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 205 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com