

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012019.11-R4
DATE: 06/19/2014
CERTIFICATION PROGRAM: Structural
COMPANY: ViWinTech
CODE: 583-1
REVISION DATE: 01/17/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ViWinTech Windows & Doors 2400 Irvin Cobb Drive Paducah, KY 42003	Series "SL 2150 SH" Vinyl Single Hung Window (w/Reinforced Meeting Rails ,Bottom Rail & Stiles) Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-914mm(36") H-2134mm(84") Sash: W-835mm(32.87") H-1043mm(41.06") DLO: W-767mm(30.18") H-975mm(38.37")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/IS.2/A440-11 AAMA/WDMA/CSA 101/IS.2/A440-05	Class LC-PG50 914 x 2134 (36 x 84)-H H-LC50 914 x 2134 (36 x 84) Design Pressure: 2400 Pa (50 psf) Negative Design Pressure: 3360 Pa (70 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Architectural Testing, Inc.

Report No: D7113.02-501-47(Spec 12)

Expiration Date: April 30, 2029

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

email: nami@namiinc.com