

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI016213
DATE: 06/06/2024
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern Arch
CODE: 1783-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "3000" Aluminum Fixed Window Configuration: O Glazing: IG-3/16" Heat Strengthened Glass/0.090" PVB Interlayer by Kuraray/3/16"/3/16" Heat Strengthened Glass OR IG-Ext. 3/16" Annealed Glass/Int. 3/16" Heat Strengthened Glass/0.090" PVB Interlayer by Kuraray/3/16" Heat Strengthened Glass Frame: W-1829mm(72") H-2032mm(80") DLO: W-1778mm(70") H-1981mm(78")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94 ASTM E1886-19/ASTM E1996-23	Design Pressure: +70/-70 psf Water Penetration Resistance Test Pressure: 503 Pa (10.50 psf) Missile Level D - Wind Zone 4 Large Missile Impact Rated

Product Tested By: Blackwater Technical Services, Inc.
Report No: BT-EAS-23-009
Expiration Date: May 31, 2028

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023